

AGE

71

## DCIS BREAST CASE STUDY

PATIENT	71 Year-Old Female Patient
TUMOR SIZE (cm)	1.2
MENOPAUSAL STATUS	Post-Menopausal
ER STATUS (IHC)	ER positive
MULTIFOCAL	No
MARGIN WIDTH (mm)	1
NUCLEAR GRADE	2
COMEDO NECROSIS	Present
GENERAL HEALTH	Fair
OTHER INFORMATION	N/A
SUBMITTED BY	Linsey Gold, D.O., Michigan Center for Breast Health, Flint, MI


DCIS SCORE™

52

# DCIS BREAST CASE STUDY

## QUANTITATIVE HORMONE RECEPTOR

The clinical validation study<sup>1</sup> included female patients with DCIS treated with local excision without irradiation, and required clear surgical margins  $\geq 3$  mm and a lesion size of  $\leq 2.5$  cm. Approximately a third of patients were treated with tamoxifen. The average 10 year rate for ipsilateral breast events for patients who had a DCIS Score of 52 was:




TREATMENT GIVEN

Patient declined radiation therapy, taking hormonal therapy


# DCIS BREAST CASE STUDY

## CLINICAL INFORMATION

The Oncotype DX test uses RT-PCR to determine the RNA expression of the genes below. These results may differ from ER or PR results reported using other methods or reported by other laboratories.



N/A



N/A

### References

1. Solin et al. J Natl Cancer Inst. 2013.
2. ER Score based on quantitative ESR1 expression (estrogen receptor); PR Score based on quantitative PGR expression (progesterone receptor).
3. Badve et al. J Clin Oncol. 2008. May 20;25(15):2473-81
4. Paik et al. ASCO 2005.